

Rare and Threatened Flora in Indigo Shire

Conservation Status in Australia (AROTS – Australian Rare or Threatened Species)

National conservation status is based on the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) list of taxa considered threatened in Australia.

EX – Extinct

CR – Critically Endangered

E – Endangered

V – Vulnerable

Conservation Status in Victoria (VROTS – Victorian Rare or Threatened Species)

x – Presumed Extinct in Victoria

e – Endangered in Victoria

v – Vulnerable in Victoria

r – Rare in Victoria

k – Poorly Known in Victoria:

L – Listed as threatened under the under the provisions of the *Flora and Fauna Guarantee Act 1988* (FFG).

| Botanical Name | Common Name | FFG | AROTS | VROTS |
|---|----------------------------|-----|-------|-------|
| <i>Acacia deanei</i> | Deane's Wattle | | | r |
| <i>Acacia deanei</i> ssp. <i>Deanei</i> | Deane's wattle | L | | e |
| <i>Acacia deanei</i> ssp. <i>Paucijuga</i> | Deane's Wattle | | | r |
| <i>Acacia doratoxylon</i> | Currawang | | | r |
| <i>Acacia lanigera</i> var. <i>lanigera</i> | Woolly Wattle | | | r |
| <i>Acianthus collinus</i> | Hooded Mosquito-orchid | L | | v |
| <i>Allocasuarina luehmannii</i> | Buloke | L | | |
| <i>Amphibromus fluitans</i> | River Swamp Wallaby-grass | | V | k |
| <i>Amyema linophylla</i> ssp. <i>Orientalis</i> | Buloke Mistletoe | | | v |
| <i>Arachnorchis concolor</i> | Crimson Spider-orchid | L | V | e |
| <i>Arachnorchis patersonii</i> s.s. | Cream Spider-orchid | | | e |
| <i>Aristida calycina</i> var. <i>calycina</i> | Dark Wire-grass | | | r |
| <i>Astrotricha linearis</i> | Narrow-leaf Star-hair | | | r |
| <i>Austrodanthonia monticola</i> | Small-flower Wallaby-grass | | | r |
| <i>Austrodanthonia richardsonii</i> | Straw Wallaby-grass | | | v |
| <i>Billardiera scandens</i> var. <i>brachyantha</i> | Velvet Apple-berry | | | r |

| | | | | |
|--|----------------------------------|---|---|---|
| <i>Brachyscome gracilis</i> | Dookie Daisy | L | | v |
| <i>Brachyscome muelleroides</i> | Mueller Daisy | L | V | e |
| <i>Brasenia schreberi</i> | Water-shield | L | | e |
| <i>Calochilus imberbis</i> | Naked Beard-orchid | | | r |
| <i>Ceratophyllum demersum</i> | Common Hornwort | | | k |
| <i>Chiloglottis trilabra</i> | Tall Wasp-orchid | | | k |
| <i>Corysanthes hispida</i> | Bristly Helmet-orchid | | | r |
| <i>Daviesia genistifolia</i> s.s. | Broom Bitter-pea | | | r |
| <i>Desmodium varians</i> | Slender Tick-trefoil | | | k |
| <i>Dipodium hamiltonianum</i> | Yellow Hyacinth-orchid | L | | e |
| <i>Diuris dendrobioides</i> | Wedge Diuris | L | | e |
| <i>Diuris 2inereal</i> var. <i>punctata</i> | Purple Diuris | L | | v |
| <i>Dodonaea boroniifolia</i> | Hairy Hop-bush | | | r |
| <i>Echinopogon caespitosus</i> | Bushy Hedgehog-grass | | | e |
| <i>Eucalyptus</i> aff. <i>2inereal</i> (Beechworth) | Beechworth Silver Stringybark | | | v |
| <i>Eucalyptus cadens</i> | Warby Range Swamp- gum | L | V | v |
| <i>Eucalyptus sideroxylon</i> s.s. | Mugga | | | r |
| <i>Fimbristylis velata</i> | Veiled Fringe-sedge | | | r |
| <i>Gonocarpus micranthus</i> ssp. <i>Ramosissimus</i> | Branching Raspwort | | | k |
| <i>Goodenia macbarronii</i> | Narrow Goodenia | L | V | v |
| <i>Goodia medicaginea</i> | Western Golden-tip | | | r |
| <i>Indigofera adesmiifolia</i> | Tick Indigo | | | v |
| <i>Lespedeza juncea</i> ssp. <i>Sericea</i> | Chinese Lespedeza | | | r |
| <i>Lipocarpa microcephala</i> | Button Rush | | | v |
| <i>Myoporum montanum</i> | Waterbush | | | r |
| <i>Pimelea treyvaudii</i> | Grey Rice-flower | | | v |
| <i>Poa hothamensis</i> var. <i>parviflora</i> | Soft Ledge-grass | | | r |
| <i>Poa sieberiana</i> var. <i>cyanophylla</i> | Blue-leaf Tussock-grass | | | r |
| <i>Pomaderris aurea</i> | Golden Pomaderris | | | r |
| <i>Pomaderris eriocephala</i> | Woolly-headed Pomaderris | | | r |
| <i>Pomaderris subcapitata</i> | Convex Pomaderris | | | r |
| <i>Prasophyllum</i> sp. Aff. <i>Validum</i> | Woodland Leek-orchid | | V | e |
| <i>Pterostylis bicolor</i> | Black-tip Greenhood | | | k |
| <i>Pterostylis hamata</i> | Scaly Greenhood | | | r |
| <i>Pultenaea foliolosa</i> | Small-leaf Bush-pea | | | r |
| <i>Pultenaea platyphylla</i> | Flat-leaf Bush-pea | | | r |
| <i>Pultenaea polifolia</i> | Dusky Bush-pea | | | r |
| <i>Pultenaea vrolandii</i> | Cupped Bush-pea | | | r |
| <i>Ranunculus pumilio</i> var. <i>politus</i> | Ferny Small-flower Buttercup | | | k |
| <i>Senecio garlandii</i> | Woolly Ragwort | L | V | e |
| <i>Swainsona galegifolia</i> | Smooth Darling-pea | L | | e |
| <i>Swainsona murrayana</i> | Slender Darling-pea | L | V | e |
| <i>Utricularia uniflora</i> | Single Bladderwort | | | k |
| <i>Wurmbea biglandulosa</i> ssp. <i>Biglandulosa</i> | Glandular Early Nancy | | | r |

Source: DELWP (b), 2007.

Rare and Threatened Fauna in Indigo Shire

Conservation Status in Australia (AROTS – Australian Rare or Threatened Species)

National conservation status is based on the **Environment Protection and Biodiversity Conservation Act 1999** (EPBC Act) list of taxa considered threatened in Australia.

EX – Extinct

CR – Critically Endangered

E – Endangered

V – Vulnerable

Conservation Status in Victoria (VROTS – Victorian Rare or Threatened Species)

x – Presumed Extinct in Victoria

e – Endangered in Victoria

v – Vulnerable in Victoria

r – Rare in Victoria

k – Poorly Known in Victoria:

L – Listed as threatened under the under the provisions of the Flora and Fauna Guarantee Act 1988 (FFG).

| Common Name | Latin name | FFG | AROTS | VROTS |
|---------------------------|-------------------------------|-----|-------|-------|
| Apostlebird | <i>Struthidea cinerea</i> | L | | |
| Australasian Bittern | <i>Botaurus poiciloptilus</i> | L | | e |
| Australasian Shoveler | <i>Anas rhynchos</i> | | | v |
| Australian Bustard | <i>Ardeotis australis</i> | L | | e |
| Azure Kingfisher | <i>Alcedo azurea</i> | | | r |
| Baillon's Crake | <i>Porzana pusilla</i> | L | | v |
| Bandy Bandy | <i>Vermicella annulata</i> | L | | r |
| Barking Owl | <i>Ninox connivens</i> | L | | e |
| Bibron's Toadlet | <i>Pseudophryne bibronii</i> | L | | e |
| Black Falcon | <i>Falco subniger</i> | | | v |
| Black-chinned Honeyeater | <i>Melithreptus gularis</i> | | | r |
| Black-eared Cuckoo | <i>Chrysococcyx osculans</i> | | | r |
| Blue-billed Duck | <i>Oxyura australis</i> | L | | e |
| Broad-shelled Tortoise | <i>Chelodina expansa</i> | L | | e |
| Brolga | <i>Grus rubicunda</i> | L | | v |
| Brown Quail | <i>Coturnix ypsilophora</i> | | | r |
| Brown Treecreeper | <i>Climacteris picumnus</i> | | | r |
| Brush-tailed Phascogale | <i>Phascogale tapoatafa</i> | L | | v |
| Bush Stone-curlew | <i>Burhinus grallarius</i> | L | | e |
| Chestnut-rumped Heathwren | <i>Hylacola pyrrhopygia</i> | | | v |

| | | | | |
|--------------------------|----------------------------------|---|---|---|
| Crested Bellbird | <i>Oreoica gutturalis</i> | L | | r |
| Diamond Dove | <i>Geopelia cuneata</i> | L | | r |
| Diamond Firetail | <i>Stagonopleura guttata</i> | L | | v |
| Eastern Bearded Dragon | <i>Pogona barbata</i> | | | k |
| Eastern Great Egret | <i>Ardea modesta</i> | L | | v |
| Freckled Duck | <i>Stictonetta naevosa</i> | L | | e |
| Glossy Ibis | <i>Plegadis falcinellus</i> | | | r |
| Grey Falcon | <i>Falco hypoleucos</i> | L | | e |
| Grey Goshawk | <i>Accipiter novaehollandiae</i> | L | | v |
| Grey-crowned Babbler | <i>Pomatostomus temporalis</i> | L | | e |
| Grey-headed Flying-fox | <i>Pteropus poliocephalus</i> | L | V | v |
| Ground Cuckoo-shrike | <i>Coracina maxima</i> | L | | v |
| Growling Grass Frog | <i>Litoria raniformis</i> | L | V | e |
| Hardhead | <i>Aythya australis</i> | | | v |
| Hooded Robin | <i>Melanodryas cucullata</i> | L | | r |
| Intermediate Egret | <i>Ardea intermedia</i> | L | | e |
| Latham's Snipe | <i>Gallinago hardwickii</i> | | | r |
| Lewin's Rail | <i>Rallus pectoralis</i> | L | | v |
| Little Bittern | <i>Ixobrychus minutus</i> | L | | e |
| Little Button-quail | <i>Turnix velox</i> | | | r |
| Little Egret | <i>Egretta garzetta</i> | L | | e |
| Masked Owl | <i>Tyto novaehollandiae</i> | L | | e |
| Musk Duck | <i>Biziura lobata</i> | | | v |
| Nankeen Night Heron | <i>Nycticorax caledonicus</i> | | | r |
| Painted Honeyeater | <i>Grantiella picta</i> | L | | v |
| Painted Snipe | <i>Rostratula benghalensis</i> | L | | e |
| Pectoral Sandpiper | <i>Calidris melanotos</i> | | | r |
| Pied Cormorant | <i>Phalacrocorax varius</i> | | | r |
| Plains-wanderer | <i>Pedionomus torquatus</i> | L | V | e |
| Powerful Owl | <i>Ninox strenua</i> | L | | v |
| Red-backed Kingfisher | <i>Todiramphus pyrrhopygia</i> | | | r |
| Red-chested Button-quail | <i>Turnix pyrrhothorax</i> | L | | v |
| Regent Honeyeater | <i>Anthochaera phygia</i> | L | E | e |
| Royal Spoonbill | <i>Platalea regia</i> | | | v |
| Speckled Warbler | <i>Chthonicola sagittata</i> | L | | v |
| Spot-tailed Quoll | <i>Dasyurus maculatus</i> | L | V | e |
| Spotted Harrier | <i>Circus assimilis</i> | | | r |
| Spotted Quail-thrush | <i>Cinclosoma punctatum</i> | | | r |
| Square-tailed Kite | <i>Lophoictinia isura</i> | L | | v |
| Squirrel Glider | <i>Petaurus norfolcensis</i> | L | | e |
| Swift Parrot | <i>Lathamus discolor</i> | L | E | e |
| Tree Goanna | <i>Varanus varius</i> | | | v |
| Turquoise Parrot | <i>Neophema pulchella</i> | L | | r |
| Whiskered Tern | <i>Chlidonias hybridus</i> | | | r |
| White-bellied Sea-Eagle | <i>Haliaeetus leucogaster</i> | L | | v |
| Wood Sandpiper | <i>Tringa glareola</i> | | | v |
| Woodland Blind Snake | <i>Ramphotyphlops proximus</i> | | | r |

Source: DELWP (a), 2007.